

TECHNICAL DATA SHEET



Product name	Revised
GENAN SUPER FINE POWDER	01.03.2026

Product description
Free-flowing, homogeneous and uniform, black rubber powder derived from end-of-life tyres through granulation and cleaning.

Contact Data of Manufacturer						
Plant:	Genan A/S Jegindøvej 16 DK-8800 Viborg Denmark	Genan GmbH Gottlieb-Daimler Straße 34 D-46282 Dorsten Germany	Betriebsstätte Oranienburg: Birkenallee 80 D-16515 Oranienburg Germany	Betriebsstätte Kammlach: Im Gewerbepark Unterallgäu 1 D-87754 Kammlach Germany	Genan, S.A. Lugar da Pardala Estrada Nacional 109, Km 31 PT-3880-728 São João de Ovar Portugal	Genan Inc. 18038 Beaumont Hwy. Houston TX77049 USA
Tel:	+45 8728 3000	+49 2362 9527 0	+49 3301 578 0	+49 8261 7369 0	+351 256 580 600	+1 713 6748500
Fax:		+49 2362 9257 150	+49 3301 578 150	+49 8261 7369 150		+1 713 6748501
E-mail:	info-dk@genan.com	info-de@genan.com			info-pt@genan.com	info-us@genan.com

Typical properties				
Properties	Test methods	Unit	Typical values	Specification
Specific density	ASTM D1817	kg/m ³	1160	1100-1200
Bulk density	EN 1097-3	kg/m ³	340	340 ±8%
Particle size range	ISO 13322-2	mm	0,1-0,6	0,1-0,6
Total polymer content (RCH)	ISO 9924-1	%	55	≥ 50
Ash content	ISO 9924-1	%	8	< 20
Carbon black	ISO 9924-1	%	30	25-40
Impurities	EN14243-2	%	< 0,20	< 0,25
PAH 8 REACH	AfPS GS 2019:01 PAK	mg/kg	< 15	< 20

Remarks	
PAH 8 REACH	A material sample has been extracted in accordance with EN 17409, and the result is presented as a moving average of the 4 most recent analyses.
Particle size distribution	Information on the actual particle size distribution is available on the relevant sieve curves, which can be downloaded from the Genan website. Alternatively, our sales department can forward upon request.
Content of coloured rubber particles	GENAN SUPER FINE POWDER is a recycled product manufactured with end-of-life tyres as feedstock. Coloured rubber particles may thus occur.
Impurities	GENAN SUPER FINE POWDER is a recycled product manufactured with end-of-life tyres as feedstock. Free impurities in the form of metal, textile, minerals, small stones, plastic and wood may thus occur.
Agglomeration	GENAN SUPER FINE POWDER may due to its physical properties - and depending on weather / storage conditions - have a tendency to cake over time. Storage as recommended in section 7.2 of the safety data sheet for this product.
Environment, Health & Safety	Guidelines in relation to environmental impact, health and safety are stated in the relevant Safety Data Sheet as well as in the applicable Instructions for Use and Disposal - both of which can be downloaded from the Genan website. Alternatively, our sales department can forward upon request.

Characteristics stated are typical for the product. The product is derived from a large number of different tyres; consequently, Genan cannot give any exact values on the chemical composition of the material. The above-mentioned characteristics and values have been prepared to the best of our knowledge, and Genan shall not be liable for any insufficiency or inaccuracy in such information.

CERTIFICATIONS	Genan A/S	Genan GmbH	Genan Inc.	Genan, S.A.
	ISO 9001:2015	ISO 9001:2015	ISO 9001:2015	ISO 9001:2015
	ISO 14001:2015	ISO 14001:2015	ISO 14001:2015	ISO 14001:2015
	ISO 45001:2018	ISO 45001:2018	ISO 45001:2018	ISO 45001:2018
	ISO 50001:2018	ISO 50001:2018	ISO 50001:2018	ISO 50001:2018